


In the Claims:

Please cancel claims 25-40. Please amend claims 3-13, 15-16 and 18-24 as follows. Please add new claim 41.

1. (Original) A compound of formula (I):



wherein:

a is 1-5;

each R¹ is the same or different and is independently selected from the group consisting of halo, alkyl, alkenyl, -OR⁶, -S(O)_fR⁶, -NR⁶R⁷, -R⁴OR⁶, -R⁴S(O)_fR⁶, -R⁴NR⁶R⁷ and cyano;

b is 0-3;

R² is selected from the group consisting of alkyl, alkenyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, -OR⁶, -NR⁶R⁷, -R⁴OR⁶, -R⁴NR⁶R⁷, cyano and nitro;

Y is -O- or -N(R⁸)-;


c is 0-4;

each R³ is the same or different and is independently selected from the group consisting of halo, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, -OR⁶, -COR⁶, -CO₂R⁶, -CH(R⁶)OR⁷, -S(O)_fR⁶, -NR⁶R⁷, -R⁴cycloalkyl, -R⁴OR⁶, -R⁴COR⁶, -R⁴CO₂R⁶, -R⁴S(O)_fR⁶, -R⁴NR⁶R⁷ and cyano

Z is selected from the group consisting of -O-R⁴-, -R⁴-O-, -S(O)_fR⁴-, -R⁴-S(O)_f- , -N(R⁸)-R⁴-, -R⁴-N(R⁸)-, -C(O)N(R⁸)-, -C(O)R⁴N(R⁸)-, -S(O)_fN(R⁸)- and -S(O)_fR⁴N(R⁸)-;

each R⁴ is the same or different and is independently selected from the group consisting of alkylene and alkenylene;

R⁵ is selected from the group consisting of R⁶O-, R⁶O₂C-, and



wherein Ring A is aryl or a 5-12 membered heterocycle or heteroaryl;

d is 0-4;

each R⁹ is the same or different and is independently selected from the group consisting of halo, alkyl, alkenyl, alkynyl, cycloalkyl, -OR⁶, -COR⁶, -CO₂R⁶, -CH(R⁶)OR⁷, -S(O)_fR⁶, -NR⁶R⁷, -R⁴cycloalkyl, -R⁴OR⁶, -R⁴COR⁶, -R⁴CO₂R⁶, -R⁴S(O)_fR⁶, -R⁴NR⁶R⁷, cyano, 5-9 membered heterocycle and 5-9 membered heteroaryl;

each R⁶ and R⁷ are the same or different and are each independently selected from the group consisting of H, alkyl, alkenyl, C₃₋₆cycloalkyl and C₃₋₆cycloalkenyl;

R⁸ is H or alkyl; and

each f is the same or different and is independently selected from the group consisting of 0, 1 and 2;

or a pharmaceutically acceptable salt, solvate or physiologically functional derivative thereof.

2. (Original) The compound according to claim 1 wherein a is 1-2.
3. (Currently Amended) The compound according to claim 1 any of claims 1-2 wherein each R¹ is the same or different and is independently selected from the group consisting of halo and -OR⁶.
4. (Currently Amended) The compound according to claim 1 any of claims 1-3 wherein b is 0 or 1.
5. (Currently Amended) The compound according to claim 1 any of claims 1-4 wherein R² is selected from the group consisting of alkyl and C₃₋₆cycloalkyl.
6. (Currently Amended) The compound according to claim 1 any of claims 1-5 wherein Y is -O-.
7. (Currently Amended) The compound according to claim 1 to any of claims 1-6, wherein c is 0-2.

8. (Currently Amended) The compound according to claim 1 any of claims 1-7, wherein each R³ is the same or different and is independently selected from the group consisting of halo and alkyl.
9. (Currently Amended) The compound according to claim 1 any of claims 1-8, wherein Z is selected from the group consisting of -O-R⁴-, -R⁴-O-, -S(O)_fR⁴-, -N(R⁸)-R⁴-, -R⁴-N(R⁸)-, -C(O)N(R⁸)-, -C(O)R⁴N(R⁸)-, -S(O)_fN(R⁸)- and -S(O)_fR⁴N(R⁸)-.
10. (Currently Amended) The compound according to claim 1 any of claims 1-9, wherein R⁸ is H or methyl.
11. (Currently Amended) The compound according to claim 1 any of claims 1-10, wherein R⁵ is selected from the group consisting of R⁶O₂C-, and
$$(R^9)_d - A - \{$$
12. (Currently Amended) The compound according to claim 1 any of claims 1-11, wherein R⁵ is and Ring A is phenyl or furan.
13. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 1 any of claims 1-12.
14. (Original) The pharmaceutical composition according to claim 13, further comprising a pharmaceutically acceptable carrier or diluent.
15. (Currently Amended) A method for the treatment or prophylaxis of a condition mediated by FXR in a subject, said method comprising administering to said subject a therapeutically effective amount of a compound according to claim 1 any of claims 1-12.
16. (Currently Amended) A method for the treatment or prophylaxis of cardiovascular disease in a subject, said method comprising administering to said

subject a therapeutically effective amount of a compound according to claim 1
any of claims 1-12.

17. (Original) The method according to claim 16, wherein said cardiovascular disease is selected from atherosclerosis and hypercholesterolemia.

18. (Currently Amended) A method for the treatment or prophylaxis of cholestatic liver disease in a subject comprising administering a therapeutically effective amount of a compound according to claim 1 any of claims 1-12.


19. (Currently Amended) A method for the treatment or prophylaxis of organ fibrosis in a subject comprising administering a therapeutically effective amount of a compound according to claim 1 any of claims 1-12.

20. (Currently Amended) A method for increasing HDL cholesterol in a subject, said method comprising administering a therapeutically effective amount of a compound according to claim 1 any of claims 1-12.


21. (Currently Amended) A method for lowering triglycerides in a subject, said method comprising administering a therapeutically effective amount of a compound according to claim 1 any of claims 1-12.

22. (Currently Amended) A process for preparing a compound according to claim 1 any of claims 1-12, said process comprising the steps of:

a) reducing a compound of formula (X):



followed by chorination to prepare a compound of formula (XI):




and

- b) reacting the compound of formula (XI) with a compound of formula (XII):




wherein Z^1 is $-\text{O}-$, $-\text{S}(\text{O})-$ or $-\text{N}(\text{R}^8)-$;

to prepare a compound of formula (I-A):




23. (Currently Amended) A process for preparing a compound according to claim 1 any of claims 1-12, said process comprising the steps of:

- a) rearranging the carbonyl functionality of the compound of formula (X):




followed by hydrolysis to prepare a compound of formula (XIII):



and


- b) reacting the compound of formula (XIII) with a suitable electrophile to prepare a compound of formula (I-B):




wherein Z^2 is $-R^4-O-$.

24. (Currently Amended) A process for preparing a compound according to claim 1 ~~any of claims 1-12~~, said process comprising the steps of:


- a) reacting a protected compound of formula (XV):




wherein PG is a protecting group;
with a compound of formula (VI):



to prepare a compound of formula (XVI):




- b) optionally alkylating the compound of formula (XVI), followed by deprotecting the compound of formula (XVI) to prepare a compound of formula (XVII):



and

- c) reacting the compound of formula (XVII) with a suitable electrophile to prepare a compound of formula (I-C):



wherein Z^3 is selected from the group consisting of $-R^4-O-$, $-R^4-S(O)_f-$, $-R^4-N(R^8)-$, $-CON(R^8)-$, $-C(O)R^4N(R^8)-$, $-S(O)_fN(R^8)-$ and $-S(O)_fR^4N(R^8)-$.

25-40. (Cancelled)

41. (New) A compound selected from:

3-{{(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)amino}methyl}benzoic acid;
 Methyl 4-[(4-{{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoate;
 3-{{(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-phenyl)amino}methyl}benzoic acid;
 5-[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethyl-anilino)methyl]-2-furoic acid;
 4-[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethyl-anilino)methyl]benzoic acid;
 Methyl 2-[(4-{{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]-3-furoate;
 N-(2,1,3-Benzoxadiazol-5-ylmethyl)-4-{{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-N,2-dimethylaniline;
 N-(4-{{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-methylphenyl)-N-methyl-N-[4-(1,2,3-thiadiazol-4-yl)benzyl]amine;
 4-[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethyl-anilino)methyl]benzonitrile;
 2-[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethyl-anilino)methyl]-3-furoic acid;

{3-[{(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]phenyl}methanol;
{4-[{(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]phenyl}methanol;
3-[{(4-{[3-(2,6-Dichlorobenzyl)-5-ethyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;
3-{[(4-{[5-Isopropyl-3-(2,4,6-trichlorophenyl)isoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)amino]methyl}benzoic acid;
3-[{(4-{[3-(2,6-Dichlorobenzyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;
3-{[(4-{[3-(2-Chlorobenzyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)-amino]methyl}benzoic acid;
3-[{(4-{[5-Cyclopropyl-3-(2,6-dichlorobenzyl)-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;
5-{[4-{[5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino]methyl}-2-furoic acid;
4-{[4-{[5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino]methyl}benzoic acid;
3-{[4-{[5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino]methyl}benzoic acid;
Methyl 5-{[4-{[5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino]methyl}-2-furoate;
Methyl 4-{[4-{[5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino]methyl}benzoate;
4-{[(2-Chloro-4-{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-amino]carbonyl}benzoic acid;
Methyl 3-[{(2-chloro-4-{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-anilino)carbonyl]benzoate;
Methyl 4-[{(2-chloro-4-{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-anilino)carbonyl]benzoate;
3-{[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-methylanilino)-carbonyl]benzoic acid;

4-[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-methylanilino)-carbonyl]benzoic acid;

3-[(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-anilino)carbonyl]benzoic acid;

3-[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)carbonyl]benzoic acid;

3-[(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-methylanilino)carbonyl]benzoic acid;

4-[(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-methylanilino)carbonyl]benzoic acid;

3-{{[4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}methoxy)-2-dimethylanilino]carbonyl]benzoic acid;

3-{{[4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}methoxy)-2-methylanilino]carbonyl]benzoic acid;

3-{{[2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}-methoxy)methylanilino]carbonyl}benzoic acid;

Methyl 3-{{[(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)(methyl)amino]sulfonyl}benzoate;

Methyl 3-{{[(2-chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-phenyl)amino]sulfonyl}benzoate;

Methyl 3-{{[(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)amino]sulfonyl}benzoate;

Methyl 3-{{[(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-amino]-sulfonyl}benzoate;

3-{{[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-amino]sulfonyl}benzoic acid;

3-{{[(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)amino]-sulfonyl}benzoic acid;

Methyl 3-{{[(2-chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-phenyl)(methyl)amino]sulfonyl}benzoate;

Methyl 3-{{[(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(methyl)amino]sulfonyl}benzoate;

Methyl 3-{{(2-chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-phenyl)(ethyl)amino}sulfonyl}benzoate;

Methyl 3-{{(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methyl-phenyl)(ethyl)amino}sulfonyl}benzoate;

Methyl 3-{{(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(ethyl)-amino}sulfonyl}benzoate;

3-{{(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(methyl)amino}sulfonyl}benzoic acid;

3-{{(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(methyl)amino}sulfonyl}benzoic acid;

3-{{(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-2-methylphenyl)-(methyl)amino}sulfonyl}benzoic acid;

3-{{(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)(methyl)-amino}sulfonyl}benzoic acid;

3-{{(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(ethyl)amino}sulfonyl}benzoic acid;

3-{{(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-2-methylphenyl)-(ethyl)amino}sulfonyl}benzoic acid;

3-{{(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)(ethyl)-amino}sulfonyl}benzoic acid;

Methyl 4-{{(2-chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-phenyl)amino}sulfonyl}benzoate;

Methyl 4-{{(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methyl-phenyl)amino}sulfonyl}benzoate;

Methyl 4-{{(4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(amino)sulfonyl}benzoate;

4-{{(2-Chloro-4-{{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(amino)sulfonyl}benzoic acid;

4-{{(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-2-methylphenyl)-(amino)sulfonyl}benzoic acid;

4-{{(4-{{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)amino}-sulfonyl}benzoic acid;

Methyl 4-{{(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methyl-phenyl)(methyl)amino}sulfonyl}benzoate;
Methyl 4-{{(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)- (methyl)amino}sulfonyl}benzoate;
Methyl 4-{{(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)- (ethyl)amino}sulfonyl}benzoate;
4-{{(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)- (methyl)amino}sulfonyl}benzoic acid;
4-{{(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-2- methylphenyl)-(methyl)amino}sulfonyl}benzoic acid;
4-{{(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)(methyl)- amino}sulfonyl}benzoic acid;
4-{{(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)- (ethyl)amino}sulfonyl}benzoic acid;
4-{{(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-2- methylphenyl)-(ethyl)amino}sulfonyl}benzoic acid;
4-{{(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)(ethyl)amino}-sulfonyl}benzoic acid;
3-({{2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4- yl)methoxy}-phenyl]amino}sulfonyl)benzoic acid;
3-({{4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl)methoxy}-2- methyl-phenyl]amino}sulfonyl)benzoic acid;
Methyl 3-{{{{2-chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4- yl)methoxy}phenyl](methyl)amino}sulfonyl}benzoate;
Methyl 3-{{{{4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl)methoxy}-2- methylphenyl](methyl)amino}sulfonyl}benzoate;
3-{{{{2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4- yl)methoxy}phenyl](methyl)amino}sulfonyl}benzoic acid;
3-{{{{4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl)methoxy}-2- methyl-phenyl](methyl)amino}sulfonyl}benzoic acid;
3-{{{{4-({3-(2,6-Dichlorobenzyl)-5-ethylisoxazol-4-yl)methoxy}-2- methylphenyl)(methyl)-amino}sulfonyl}benzoic acid;

Methyl 4-[(2-chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-benzyl)oxy]benzoate;

Methyl 3-[(2-chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-benzyl)-oxy]benzoate;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-benzyl)oxy]-benzoic acid;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-benzyl)thio]-benzoic acid;

3-[(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylbenzyl)-oxy]-benzoic acid;

3-[(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylbenzyl)-thio]-benzoic acid;

4-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}benzyl)-oxy]benzoic acid;

4-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}benzyl)-thio]-benzoic acid;

Methyl 3-[(2-chloro-4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy}benzyl)oxy]benzoate;

Methyl 3-{{4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy}-2-methylbenzyl}oxy}benzoate;

3-{{2-Chloro-4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy}-benzyl}oxy}benzoic acid;

3-{{4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy}-2-methylbenzyl}oxy}benzoic acid;

3-[(2-Chloro-4-{{3-(2,6-dichlorobenzyl)-5-ethylisoxazol-4-yl]methoxy}benzyl)oxy]-benzoic acid;

Methyl 3-[(2-chloro-4-{{5-isopropyl-3-[2-(trifluoro-methoxy)phenyl]isoxazol-4-yl]methoxy}benzyl)thio]benzoate;

Methyl 3-{{4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy}-2-methylbenzyl}thio}benzoate;

3-{{2-Chloro-4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy}-benzyl}thio}benzoic acid;

3-{{4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl}methoxy)-2-methylbenzyl}thio}benzoic acid;

Methyl 3-[(2-chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}benzyl)(methyl)amino]benzoate;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}benzyl)-(methyl)amino]benzoic acid;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}benzyl)-amino]benzoic acid;

Ethyl 3-{{2-chloro-4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}methoxy}benzyl}amino}benzoate;

3-{{2-Chloro-4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}methoxy}benzyl}amino}benzoic acid;

3-{{2-Chloro-4-{{5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}methoxy}benzyl}(methyl)amino}benzoic acid;

Methyl 4-[(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}-2-methylphenoxy)methyl]benzoate;

Methyl 3-[(2-chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}-phenoxy)methyl]benzoate;

Methyl 3-[(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}-2-methylphenoxy)methyl]benzoate;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}phenoxy)-methyl]benzoic acid;

3-[(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}-2-methylphenoxy)-methyl]benzoic acid; and

Methyl 4-[(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl}methoxy}-2-methylphenoxy)methyl]benzoate,

and pharmaceutically acceptable salts, solvates and physiologically functional derivatives thereof.